according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® LEMON AEROSOL

Version 1.

Revision Date 08/22/2008

Print Date 08/26/2008

MSDS Number 35000003607

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Trade name	:	PLEDGE® LEMON AEROSOL
Use of the Substance/Preparation	:	Furniture Polish/Cleaner
Company	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Emergency telephone	:	24 Hour Transport & Medical Emergency Phone (866) 231- 5406 24 Hour International Emergency Phone (952) 852-4647
2. HAZARDS IDENTIFICATION		
<b>Emergency Overview</b> Appearance / Odor	:	white / Mist / pleasant
Immediate Concerns	:	Caution CONTENTS UNDER PRESSURE. Do not puncture or incinerate. Keep away from heat, sparks and flame. Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.
Potential Health Effects Routes of exposure	:	Eye, Skin, Inhalation, Ingestion.
Eyes	:	May cause: Mild eye irritation
Skin	:	None known.
Inhalation	:	None known.
Ingestion	:	Aspiration hazard if swallowed - can enter lungs and cause damage.

Aggravated Medical Condition

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight %	
Deionized Water	7732-18-5	60.00 - 100.00	
Alkanes, C7-10-iso-	90622-56-3	5.00 - 10.00	
Dimethicone	63148-62-9	5.00 - 10.00	

: None known.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® LEMON AEROSOL

Version 1.

Print Date 08/26/2008

Revision Date 08/22/2008

MSDS Number 35000003607

Butane	106-97-8	1.00 - 5.00	
Propane	74-98-6	1.00 - 5.00	
Isobutane	75-28-5	1.00 - 5.00	

### 4. FIRST AID MEASURES

	Eye contact	:	Rinse with plenty of water.
	Skin contact	:	Wash off with soap and water.
	Inhalation	:	Remove to fresh air. If breathing is affected, get medical attention.
	Ingestion	:	If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician or Poison Control Centre immediately.
-	5. FIRE-FIGHTING MEASURES	5	
	Suitable extinguishing media	:	Alcohol foam, carbon dioxide, dry chemical, water fog
	Specific hazards during fire fighting	:	Aerosol Product - Containers may rocket or explode in heat of fire.
	Further information	:	Cool and use caution when approaching or handling fire- exposed containers. Fight fire from maximum distance or protected area. Wear full protective clothing and positive pressure self-contained breathing apparatus.
	Flash point	:	< 20 °F Method: Tag Closed Cup (TCC) Note: Propellant
	Flash point	:	< -7 °C Method: Tag Closed Cup (TCC) Note: Propellant
	Upper explosion limit	:	Note: no data available
	NFPA Classification	:	NFPA Level 1 Aerosol
	6. ACCIDENTAL RELEASE ME	ASU	RES
	Personal precautions	:	Remove all sources of ignition.
	Methods for cleaning up	:	Soak up with inert absorbent material.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® LEMON AEROSOL

Version 1.

Revision Date 08/22/2008

Print Date 08/26/2008

MSDS Number 350000003607

Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

### 7. HANDLING AND STORAGE

### Handling

. iaiiaiiig		
Advice on safe handling	:	Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Do not puncture or incinerate. Do not spray or use on floors as it could leave them slippery.
Advice on protection against fire and explosion		Keep away from heat and sources of ignition.
Storage		
Requirements for storage areas and containers	:	Keep in a dry, cool and well-ventilated place. Do not freeze. Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Basis
Butane	106-97-8		1,000 ppm	ACGIH TWA
Propane	74-98-6		1,000 ppm	ACGIH TWA
		1,800 mg/m3	1,000 ppm	OSHA TWA
Isobutane	75-28-5		1,000 ppm	ACGIH TWA

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection	:	not required under normal use
Eye protection	:	No special requirements.
Hygiene measures	:	Use only with adequate ventilation. Wash thoroughly after handling.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® LEMON AEROSOL

Version 1.

Revision Date 08/22/2008

#### Print Date 08/26/2008

MSDS Number 35000003607

st iite easant t applicable data available 20 °F ethod: Tag Closed Cup (TCC)
easant t applicable data available 20 °F
t applicable data available 20 °F
data available 20 °F
20 °F
opellant
7 °C ethod: Tag Closed Cup (TCC) opellant
data available
data available
data available
data available
luble
data available
data available
t determined
at, flames and sparks.
not mix with oxidizing agents.
nen exposed to fire, produces normal products of mbustion.
able

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® LEMON AEROSOL

Version 1.

Revision Date 08/22/2008

Print Date 08/26/2008

MSDS Number 35000003607

## 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	:	LD50 rat Dose: estimated > 20,000 mg/kg
Acute inhalation toxicity	:	LC50 rat Dose: > 212 mg/l
Acute dermal toxicity	:	no data available
Chronic effects		
Carcinogenicity	:	no data available
Mutagenicity	:	no data available
Deproductive offecto		no data available
Reproductive effects	•	no data available
Teratogenicity	:	no data available
Sensitisation	:	Not known to be a sensitizer.
12. ECOLOGICAL INFORMATION	I	
Ecotoxicity effects	:	Not Available
13. DISPOSAL CONSIDERATION	S	
Product	:	Observe all applicable Federal, Provincial and State

#### : Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.

### 14. TRANSPORT INFORMATION

#### Land transport

• U.S. DOT and Canadian TDG Surface Transportation:

UN-Number1950Proper shipping nameAerosols, flammableClass:2.1Packaging group:None.

Material Safety Data Sh according to ANSI Z400.1- 2004 and	
PLEDGE® LEMON A	AEROSOL
Version 1.	Print Date 08/26/2008
Revision Date 08/22/2008	MSDS Number 35000003607
Note:	SC Johnson ships this product as Consumer Commodity ORM-D (non-bulk packages)
Sea transport	
<ul> <li>IMDG: Class: Packaging group: Proper shipping name UN-Number:</li> </ul>	2.1 None. Aerosols, flammable 1950
Note:	SC Johnson ships this product as "Limited Quantity" when the container quantity value is 1 Liter or less.
Air transport • ICAO/IATA: Class: Packaging group: Proper shipping name UN/ID No.: Note:	<ul> <li>2.1</li> <li>None.</li> <li>Aerosols, flammable</li> <li>UN 1950</li> <li>SC Johnson typically does not ship products via air, therefore it has not been determined if the product container meets current</li> <li>IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods</li> <li>Regulations for detailed instructions when shipping this item by air.</li> </ul>
15. REGULATORY INFORM	
Notification status	<ul> <li>All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.</li> </ul>
	: All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).
California Prop. 65	<ul> <li>This product is not subject to the reporting requirements under California's Proposition 65.</li> <li>This product has been classified in accordance with hazard</li> </ul>
	6/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® LEMON AEROSOL

Version 1.

Revision Date 08/22/2008

Print Date 08/26/2008

MSDS Number 35000003607

criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

#### **16. OTHER INFORMATION**

HMIS Ratings Health	0	
Flammability	4	
Reactivity	0	
NFPA Ratings		

Health	0	
Fire	4	
Reactivity	0	

#### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® LEMON AEROSOL

Version 1.

Revision Date 08/22/2008

Print Date 08/26/2008

MSDS Number 35000003607