

## 1. Identification

**Product identifier** RESTORER

**Other means of identification**

**Product code** HIL00823

**Recommended use** Floor Finish

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Manufacturer**

**Manufacturer Company name** HILLYARD INDUSTRIES

**Address** 302 North Fourth St.  
St. Joseph, MO 64501

**Contact person** Regulatory Affairs

**Telephone number** (816) 233-1321 (Ext. 8285)

**Fax** (816) 383-8485

**E-mail** regulatoryaffairs@hillyard.com

**Emergency telephone #** (800) 424-9300  
(Only in the event of chemical emergency involving a spill, leak, fire, exposure, or accident involving chemicals.)

## 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 4

**Health hazards** Serious eye damage/eye irritation Category 2A

**Environmental hazards** Hazardous to the aquatic environment, long-term hazard Category 4

**OSHA defined hazards** Not classified.

**Label elements**



**Signal word** Warning

**Hazard statement** Combustible liquid. Causes serious eye irritation. Harmful to aquatic life. May cause long lasting harmful effects to aquatic life.

**Precautionary statement**

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves/eye protection/face protection.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name                              | Common name and synonyms | CAS number | %        |
|--------------------------------------------|--------------------------|------------|----------|
| Dipropylene glycol monomethyl ether        |                          | 34590-94-8 | 3 - < 5  |
| Isopropyl Alcohol                          |                          | 67-63-0    | 1 - < 3  |
| Alcohols (C12-15 In, Saturated) Ethoxylate |                          | 68131-39-5 | < 1      |
| Other components below reportable levels   |                          |            | 90 - 100 |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

|                                                                               |                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                                                             | Move to fresh air. Call a physician if symptoms develop or persist.                                                                                                                                                                                                                                       |
| <b>Skin contact</b>                                                           | Wash off with soap and water. Get medical attention if irritation develops and persists.                                                                                                                                                                                                                  |
| <b>Eye contact</b>                                                            | Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| <b>Ingestion</b>                                                              | Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.                                                                                                                                                                                                         |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.                                                                                                                                                                                                     |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.                                                                                                                                                                                    |
| <b>General information</b>                                                    | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.                                                                                                                                                                                          |

#### 5. Fire-fighting measures

|                                                                      |                                                                                                                                                                |
|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).                                                                                                    |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.                                                                                         |
| <b>Specific hazards arising from the chemical</b>                    | The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed. |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.                                                                  |
| <b>Fire fighting equipment/instructions</b>                          | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.                                           |
| <b>Specific methods</b>                                              | Use standard firefighting procedures and consider the hazards of other involved materials.                                                                     |
| <b>General fire hazards</b>                                          | Combustible liquid.                                                                                                                                            |

#### 6. Accidental release measures

|                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Follow precautions for safe handling described in this safety data sheet. For personal protection, see section 8 of the SDS.                                                                                                                                                                                                                                                                                                                                               |
| <b>Methods and materials for containment and cleaning up</b>               | <p>Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water.</p> <p>Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p> |

**Environmental precautions**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

**7. Handling and storage****Precautions for safe handling**

Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities**

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

**8. Exposure controls/personal protection****Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

| Components                                           | Type | Value                           |
|------------------------------------------------------|------|---------------------------------|
| Dipropylene glycol monomethyl ether (CAS 34590-94-8) | PEL  | 600 mg/m3                       |
| Isopropyl Alcohol (CAS 67-63-0)                      | PEL  | 100 ppm<br>980 mg/m3<br>400 ppm |

**US. ACGIH Threshold Limit Values**

| Components                                           | Type        | Value              |
|------------------------------------------------------|-------------|--------------------|
| Dipropylene glycol monomethyl ether (CAS 34590-94-8) | STEL        | 150 ppm            |
| Isopropyl Alcohol (CAS 67-63-0)                      | TWA<br>STEL | 100 ppm<br>400 ppm |
|                                                      | TWA         | 200 ppm            |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Components                                           | Type | Value                           |
|------------------------------------------------------|------|---------------------------------|
| Dipropylene glycol monomethyl ether (CAS 34590-94-8) | STEL | 900 mg/m3                       |
|                                                      | TWA  | 150 ppm<br>600 mg/m3<br>100 ppm |
| Isopropyl Alcohol (CAS 67-63-0)                      | STEL | 1225 mg/m3                      |
|                                                      | TWA  | 500 ppm<br>980 mg/m3<br>400 ppm |

**Biological limit values****ACGIH Biological Exposure Indices**

| Components                      | Value   | Determinant | Specimen | Sampling Time |
|---------------------------------|---------|-------------|----------|---------------|
| Isopropyl Alcohol (CAS 67-63-0) | 40 mg/l | Acetone     | Urine    | *             |

\* - For sampling details, please see the source document.

**Exposure guidelines****US - California OELs: Skin designation**

Dipropylene glycol monomethyl ether (CAS 34590-94-8) Can be absorbed through the skin.

**US - Tennessee OELs: Skin designation**

Dipropylene glycol monomethyl ether (CAS 34590-94-8) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation**

Dipropylene glycol monomethyl ether (CAS 34590-94-8) Can be absorbed through the skin.

## US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Dipropylene glycol monomethyl ether (CAS 34590-94-8) Can be absorbed through the skin.

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Dipropylene glycol monomethyl ether (CAS 34590-94-8) Can be absorbed through the skin.

|                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Appropriate engineering controls</b>                                      | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. |
| <b>Individual protection measures, such as personal protective equipment</b> |                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Eye/face protection</b>                                                   | Chemical splash goggles where there is a potential for eye contact.                                                                                                                                                                                                                                                                                                                                                    |
| <b>Skin protection</b>                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Hand protection</b>                                                       | For prolonged or repeated skin contact use suitable protective gloves.                                                                                                                                                                                                                                                                                                                                                 |
| <b>Other</b>                                                                 | Normal work clothing (long sleeved shirts and long pants) is recommended.                                                                                                                                                                                                                                                                                                                                              |
| <b>Respiratory protection</b>                                                | If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.                                                                                                                                                                    |
| <b>Thermal hazards</b>                                                       | Wear appropriate thermal protective clothing, when necessary.                                                                                                                                                                                                                                                                                                                                                          |
| <b>General hygiene considerations</b>                                        | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.                                                                                                                                                                         |

## 9. Physical and chemical properties

|                                                     |                                   |
|-----------------------------------------------------|-----------------------------------|
| <b>Appearance</b>                                   | Translucent pink                  |
| <b>Physical state</b>                               | Liquid.                           |
| <b>Form</b>                                         | Liquid.                           |
| <b>Color</b>                                        | Pink.                             |
| <b>Odor</b>                                         | Fruit punch odor                  |
| <b>Odor threshold</b>                               | Not available                     |
| <b>pH</b>                                           | 8.3 - 9.3                         |
| <b>Melting point/freezing point</b>                 | Not available                     |
| <b>Initial boiling point and boiling range</b>      | > 204 °F (> 95.56 °C) Corrected   |
| <b>Flash point</b>                                  | 150.0 °F (65.6 °C) Tag Closed Cup |
| <b>Evaporation rate</b>                             | < 1 (ethyl ether = 1)             |
| <b>Flammability (solid, gas)</b>                    | Not available.                    |
| <b>Upper/lower flammability or explosive limits</b> |                                   |
| <b>Explosive limit - lower (%)</b>                  | Not available.                    |
| <b>Explosive limit - upper (%)</b>                  | Not available.                    |
| <b>Vapor pressure</b>                               | 17.5 mm Hg                        |
| <b>Vapor density</b>                                | 0.8 AIR=1                         |
| <b>Relative density</b>                             | 1 at 77°F                         |
| <b>Solubility(ies)</b>                              |                                   |
| <b>Solubility (water)</b>                           | 100 % Complete                    |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available                     |
| <b>Auto-ignition temperature</b>                    | Not available                     |
| <b>Decomposition temperature</b>                    | Not available                     |
| <b>Viscosity</b>                                    | Not available                     |
| <b>Other information</b>                            |                                   |
| <b>Density</b>                                      | 8.33 lb/gal                       |
| <b>Percent volatile</b>                             | 96 - 98 %                         |
| <b>VOC (Weight %)</b>                               | 5 % (concentrate)                 |

## 10. Stability and reactivity

|                                           |                                                                                                                                                |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport.                                                  |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.                                                                                                    |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                                                                                    |
| <b>Conditions to avoid</b>                | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| <b>Incompatible materials</b>             | Strong oxidizing agents.                                                                                                                       |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products are known.                                                                                                 |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |                                        |
|---------------------|----------------------------------------|
| <b>Inhalation</b>   | Prolonged inhalation may be harmful.   |
| <b>Skin contact</b> | May be irritating to the skin.         |
| <b>Eye contact</b>  | Causes serious eye irritation.         |
| <b>Ingestion</b>    | Expected to be a low ingestion hazard. |

**Symptoms related to the physical, chemical and toxicological characteristics** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

### Information on toxicological effects

#### Acute toxicity

| Product                                              | Species | Test Results            |
|------------------------------------------------------|---------|-------------------------|
| RESTORER                                             |         |                         |
| <b>Acute</b>                                         |         |                         |
| <i>Dermal</i>                                        |         |                         |
| LD50                                                 | Rabbit  | 316.6456 g/kg estimated |
| <i>Oral</i>                                          |         |                         |
| LD50                                                 | Rabbit  | 251.5 g/kg estimated    |
|                                                      | Rat     | 101.2641 g/kg estimated |
| Components                                           | Species | Test Results            |
| Dipropylene glycol monomethyl ether (CAS 34590-94-8) |         |                         |
| <b>Acute</b>                                         |         |                         |
| <i>Dermal</i>                                        |         |                         |
| LD50                                                 | Rabbit  | 9.5 g/kg                |
| <i>Oral</i>                                          |         |                         |
| LD50                                                 | Rat     | 5.35 g/kg               |
| Isopropyl Alcohol (CAS 67-63-0)                      |         |                         |
| <b>Acute</b>                                         |         |                         |
| <i>Dermal</i>                                        |         |                         |
| LD50                                                 | Rabbit  | 12800 mg/kg             |
| <i>Oral</i>                                          |         |                         |
| LD50                                                 | Mouse   | 3600 mg/kg              |
|                                                      | Rabbit  | 5.03 g/kg               |
|                                                      | Rat     | 4.7 g/kg                |

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

#### Respiratory or skin sensitization

**Respiratory sensitization** Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

|                               |                                                                                                                  |
|-------------------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Skin sensitization</b>     | This product is not expected to cause skin sensitization.                                                        |
| <b>Germ cell mutagenicity</b> | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| <b>Carcinogenicity</b>        | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.                                  |

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

|                                                           |                                                                              |
|-----------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Reproductive toxicity</b>                              | This product is not expected to cause reproductive or developmental effects. |
| <b>Specific target organ toxicity - single exposure</b>   | Not classified.                                                              |
| <b>Specific target organ toxicity - repeated exposure</b> | Not classified.                                                              |
| <b>Aspiration hazard</b>                                  | Prolonged inhalation may be harmful.                                         |
| <b>Chronic effects</b>                                    | Prolonged inhalation may be harmful.                                         |

## 12. Ecological information

|                    |                                                                                  |
|--------------------|----------------------------------------------------------------------------------|
| <b>Ecotoxicity</b> | Harmful to aquatic life. May cause long lasting harmful effects to aquatic life. |
|--------------------|----------------------------------------------------------------------------------|

| Product                                                     | Species |                                         | Test Results                        |
|-------------------------------------------------------------|---------|-----------------------------------------|-------------------------------------|
| RESTORER                                                    |         |                                         |                                     |
| Aquatic                                                     |         |                                         |                                     |
| Crustacea                                                   | EC50    | Daphnia                                 | 4595.4893 mg/l, 48 hours estimated  |
| Fish                                                        | LC50    | Fish                                    | 13638.2373 mg/l, 96 hours estimated |
| Components                                                  |         | Species                                 | Test Results                        |
| Alcohols (C12-15 In, Saturated) Ethoxylate (CAS 68131-39-5) |         |                                         |                                     |
| Aquatic                                                     |         |                                         |                                     |
| Crustacea                                                   | EC50    | Water flea (Ceriodaphnia dubia)         | 0.37 - 0.43 mg/l, 48 hours          |
| Fish                                                        | LC50    | Channel catfish (Ictalurus punctatus)   | 1.04 - 1.39 mg/l, 96 hours          |
| Isopropyl Alcohol (CAS 67-63-0)                             |         |                                         |                                     |
| Aquatic                                                     |         |                                         |                                     |
| Fish                                                        | LC50    | Western mosquitofish (Gambusia affinis) | > 1400 mg/l, 96 hours               |

\* Estimates for product may be based on additional component data not shown.

|                                      |                                                            |
|--------------------------------------|------------------------------------------------------------|
| <b>Persistence and degradability</b> | No data is available on the degradability of this product. |
|--------------------------------------|------------------------------------------------------------|

#### Bioaccumulative potential

##### Partition coefficient n-octanol / water (log Kow)

|                   |      |
|-------------------|------|
| Isopropyl Alcohol | 0.05 |
|-------------------|------|

|                         |                    |
|-------------------------|--------------------|
| <b>Mobility in soil</b> | No data available. |
|-------------------------|--------------------|

|                              |                                                                                                                                                                                         |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other adverse effects</b> | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## 13. Disposal considerations

|                                              |                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.                                                                                                                                                                                                                                                                                   |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.                                                                                                                                                                                                                           |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).                                                                                                                         |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.                                                                                                                               |

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
All components are on the U.S. EPA TSCA Inventory List.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - Yes  
Pressure Hazard - No  
Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

#### SARA 311/312 Hazardous chemical

No

#### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Safe Drinking Water Act (SDWA)

Not regulated.

### US state regulations

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### US. Massachusetts RTK - Substance List

Dipropylene glycol monomethyl ether (CAS 34590-94-8)  
Isopropyl Alcohol (CAS 67-63-0)

#### US. New Jersey Worker and Community Right-to-Know Act

Dipropylene glycol monomethyl ether (CAS 34590-94-8)  
Isopropyl Alcohol (CAS 67-63-0)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Dipropylene glycol monomethyl ether (CAS 34590-94-8)  
Isopropyl Alcohol (CAS 67-63-0)

#### US. Rhode Island RTK

Isopropyl Alcohol (CAS 67-63-0)

#### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## International Inventories

| Country(s) or region        | Inventory name                                | On inventory (yes/no)* |
|-----------------------------|-----------------------------------------------|------------------------|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 02-10-2015

**Version #** 01

**HMIS® ratings** Health: 2  
Flammability: 2  
Physical hazard: 0

**Disclaimer** No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.