

CONQ-R-DUST PRESSURIZED

National Fire Protection Association (NFPA)		Fire Haz	Reactivity	Hazardous Informatic (HMIS)		Health1Fire Hazard4Reactivity0	
Protective None	required	Specific H		rgency Clear Yellov	Aerosol S	See Section 9	
Clothing	oqui ou.				ONTENTS	UNDER PRESSURE. May be	
Section 1. C	Chemical Pro	oduct and	Company Io	lentification			
Product Name	CONQ-R-D	OUST PRES	SURIZED		Code	4751	
Product Use	Industrial/Inst	titutional: Clea	aning product.		PMS#	433114	
MSDS#	114750005				Validation	Date 1/13/2004	
U.S. Headquarter	* \$		Canadian H	eadquarters	Print Date	1/13/2004	
JohnsonDiversey, Inc. 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.johnsondiversey.com			JohnsonDiversey - Canada, Inc.		Supersedes In Case of Emergency	<u>In Case of</u> (800) 851-7145	
Section 2. C	Composition	and Infori	mation on In	ngredients			
Ingredients		CAS #	% by Weight	Exposure Li	mits	LC50/LD50	
Sorbitan Monool Propane	eate	1338-43-8 74-98-6	1-5 1-5			Not available. Not available.	
Isobutane		75-28-5	5-10			VAPOR (LC50): Acute: 0.0057 ppm 0.25 hour(s) [Rat].	
Light Naphthenic Isoparaffinic Hyd Solvent		64741-44-2 64742-48-9	10-30 5-10	Not available. Not available.		Not available. Not available.	
Water		7732-18-5	60-100	Not available.		Not available.	

Section 3. Hazards Identification

Routes of Entry Inhalation. Skin contact. Eye contact.

Potential Acute Health Effects

Eyes May be mildly irritating to eyes.

Skin Prolonged or repeated contact may dry skin and cause irritation.

Inhalation May be irritating to nose, throat, and respiratory tract.

Ingestion May be harmful if swallowed.



None known.

Medical Conditions	
Aggravated by	
Overexposure:	

See Toxicological Information (section 11)

Section 4. First Aid Measures		
Eye Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.	
Skin Contact	Rinse with plenty of running water.	
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention.	
Ingestion	Immediately drink plenty of water. Do not induce vomiting unless told to do so by a poison control center or doctor.	

Section 5. Fire Fighting Measures

Flammability of the Product	NFPA 30B Level 2 Aerosol.
Flash Points	CLOSED CUP: <-7°C (19.4°F).(propellant)
Products of Combustion	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes
Protective Clothing (Fire) Special Remarks on Fire and Explosion Hazards	Put on appropriate personal protective equipment (see Section 8). Aerosol product - Containers may rocket or explode in heat of fire. Vapors may accumulate in low or confined areas.

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material.
Methods	Place in suitable clean, dry containers for disposal by approved methods.

Section 7. Handling and Storage		
Handling	Avoid contact with eyes. Avoid breathing vapors or spray mists. Use appropriate hygiene measures when handling product. Use only in well-ventilated areas. Do not puncture or incinerate. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.	
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.	

Section 8. Exposure Controls/Personal Protection

Engineering Controls No special ventilation requirements. General room ventilation is adequate.

Personal Protection

Eyes No special requirements under normal use conditions.

Hands No special requirements under normal use conditions.

Respiratory No special requirements under normal use conditions.

Feet No special requirements under normal use conditions.

Body No special protective clothing is required.

Johnson wax PROFESSIONAL

CONQ-R-DUST PRESSURIZED

Physical State and Appearance	Liquid. (Aerosol.)	
Odor	Mild.	
Color	Clear Yellow.	
Specific Gravity	0.9	
Solubility in water	Negligible.	
	ility and Reactivity	
Stability and Reactivity	The product is stable.	
Conditions of Instabilit	y Excessive heat.	
Incompatibility with	None known.	

Various Substances
Hazardous Decomposition When exposed to fire: Produces normal products of combustion.
Products

ORAL (LD50) Greater than 5000 mg/kg (rat).

Hazardous Polymerization Will not occur.

Section 11. Toxicological Information

Acute toxicity Effects of Chronic Exposure Other Toxic Effects

None known. None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste InformationIf possible, recycle empty aerosol cans to the nearest steel recycling center. Use up package
or give to someone who can. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

DOT Proper
Shipping NamePlease refer to the Bill of Lading/receiving documents for up to date shipping information.

TDG Classification

TDG Proper Please refer to the Bill of Lading/receiving documents for up to date shipping information. TDG Class

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2 US Regulations

Federal SARA 302/304/311/312 hazardous chemicals: Propane, Isobutane

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Propane, Isobutane

Clean air act (CAA) 112 accidental release prevention: Propane, Isobutane Clean air act (CAA) 112 regulated flammable substances: Propane, Isobutane CERCLA: Hazardous substances.: Propane, Isobutane

Johnson wax PROFESSIONAL	CONQ-R-DUST PRESSURIZED Material Safety Data Sheet
State	New Jersey: Light Naphthenic Distillate, Propane, Isobutane, Light Naphthenic Distillate Massachusetts spill list: Propane, Isobutane Massachusetts RTK: Propane, Isobutane Pennsylvania RTK: Propane, Isobutane
	This product is not subject to the reporting requirements under California's Proposition 65.
Registered Product Information	Not applicable.
Canadian Regulations	
WHMIS Classification	Not controlled under WHMIS (Canada).
WHMIS Icon	
Registered Product Information	Not applicable.
Chemical Inventory Status	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1.02	
express or implied, seller's control. Us	s been prepared using data from sources considered technically reliable. It does not constitute a warranty, , as to the accuracy of the information contained within. Actual conditions of use and handling are beyond eer is responsible to evaluate all available information when using product for any particular use and to comply tate, Provincial and Local laws and regulations.	