MATERIAL SAFETY DATA SHEET

SEC	TI	ON 1 - PRODUC	T AND COMPANY IDENTIFICA	ATION
Manufacturer's name and ad	dres	ss:	Supplier's name and address:	
HENRY			Refer to Manufacturer	
The W.W. Henry Compar	١y			
400 Ardex Park Drive Aliquippa, PA, U.S.A. 15001				
Information Telephone No.	:		http://www.wwhenry.com	
24 Hr. Emergency Tel #	:	CHEM-TEL: 1-800)-255-3924 OR 1-813-248-0585 (call coll	lect)
Product Identifier	:	HENRY 440 C	Cove Base Adhesive	
Chemical Name	:	N/Ap	Chemical Family	: Mixture.
Chemical Formula	:	N/Ap	Trade Name/Synonyms	: Henry® 440
Molecular Weight	:	N/Ap	Material Use	: Filled, water-based adhesive.
WHMIS Classification	:	This product is not	a WHMIS controlled product in Canada.	
HMIS Rating	:	*- Chronic hazard	0 - Minimal 1 - Slight 2 - Moderate	3 - Serious 4 - Severe
		<i>Health:</i> 1	Flammability: 1 Rea	activity: 0

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

	ACGIH TLV		OSHA PEL			
Ingredients	<u>CAS #</u>	<u>% (weight)</u>	<u>TWA</u>	<u>STEL</u>	PEL	<u>STEL</u>
None reported.	N/Av	N/Av	N/Av	N/Av	N/Av	N/A∨

Note: This product does NOT contain asbestos.

This material is not classified as hazardous under OSHA regulations (29 CFR Part 1910.1200).

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Tan colored paste with a mild odor.

May cause mild respiratory irritation at higher temperatures. Contact with eyes or skin may cause mild irritation.

POTENTIAL HEALTH EFFECTS

Target organs	:	Lungs; eyes; Skin.				
Routes of exposure	:	Inhalation: YES	Skin Absorption:	NO	Skin & Eyes:	YES
Signs and symptoms of short-	ter	m (acute) exposure	•			

Inhalation : May cause mild respiratory irritation at higher temperatures.

- *Skin* : May cause mild transient irritation.
- *Eyes* : May cause mild transient irritation.

Ingestion : Ingestion of large amounts may cause stomach irritation. Symptoms may include nausea and vomiting.

Effects of long-term (chronic) exposure

: None reported by the manufacturer.

Conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Carcinogenic status: See TOXICOLOGICAL INFORMATION, Section 11.Additional health hazards: See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects

: See ECOLOGICAL INFORMATION (Section 12).

Ingestion: YES

HENRY 440 Cove Base Adhesive

MSDS Preparation Date (dd/mm/yyyy): 25/06/2010

	SECTION 4 - FIRST AID MEASURES		
Inhalation	: If inhaled, move to fresh air. If irritation persists, seek prompt medical attention.		
Skin contact	: Remove contaminated clothing. Wash off with soap and plenty of water. If irritation persists, seek prompt medical attention.		
Eye contact	: Flush with plenty of water. If irritation persists, seek prompt medical attention.		
Ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth with water. Do NOT		
	induce vomiting. Have victim drink one to two glasses of water. Seek immediate medical attention/advice.		
Notes For Physician	: Treat symptomatically.		
	SECTION 5 - FIRE FIGHTING MEASURES		
Fire hazards/conditions of flar			
Fire hazards/conditions of hai	: Not flammable under normal conditions of use. Closed containers may rupture if exposed to		
	excess heat or flame due to a build-up of internal pressure.		
Flammability classification (O			
	: Non-flammable.		
Flash point	: > 93.3°C / 200°F		
Flash point Method	: Setaflash Closed Tester Auto-ignition temperature : N/Av		
Lower flammable limit (% by v	vol.) Upper flammable limit (% by vol.)		
	: N/Av : N/Av		
Oxidizing properties	: None.		
Flame Projection Length	: Not applicable. Flashback observed : Not applicable.		
Explosion data: Sensitivity to	mechanical impact / static discharge		
	: Not expected to be sensitive to mechanical impact or static discharge.		
Suitable extinguishing media	: Dry chemical, foam, carbon dioxide and water fog.		
Special fire-fighting procedure Hazardous combustion produ	: Firefighters should wear proper protective equipment and self contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. After fires have been extinguished, carefully clean all equipment and surfaces exposed to fumes.		
	: Carbon monoxide, carbon dioxide and other toxic vapors and gases, that are common to thermal degradation of organic compounds.		
	SECTION 6 - ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Restrict access to area until completion of clean-up. All persons dealing with clean-up should wear the appropriate chemically protective equipment. Refer to point 8 on this Safety Data Sheet, EXPOSURE CONTROLS / PERSONAL PROTECTION, for additional		
	information on acceptable personal protective equipment.		
Environmental precautions			
Environmental precautions Spill response/cleanup	information on acceptable personal protective equipment.Do not allow product to enter waterways. Do not allow material to contaminate ground water		
-	 information on acceptable personal protective equipment. Do not allow product to enter waterways. Do not allow material to contaminate ground water system. Ventilate area of release. Eliminate all ignition sources. Stop spill or leak at source if safely possible. Contain material, preventing it from entering sewer lines or waterways. Use inert, non-combustible absorbents to assist the pick up of material. Scrape up product and place it into a container for disposal. Residual of product, while still wet, can be cleaned up with warm soapy water. Refer to Section 13 for disposal of contaminated material. Notify the 		
Spill response/cleanup	 information on acceptable personal protective equipment. Do not allow product to enter waterways. Do not allow material to contaminate ground water system. Ventilate area of release. Eliminate all ignition sources. Stop spill or leak at source if safely possible. Contain material, preventing it from entering sewer lines or waterways. Use inert, non-combustible absorbents to assist the pick up of material. Scrape up product and place it into a container for disposal. Residual of product, while still wet, can be cleaned up with warm soapy water. Refer to Section 13 for disposal of contaminated material. Notify the appropriate authorities as required. None known. 		
Spill response/cleanup Prohibited materials	 information on acceptable personal protective equipment. Do not allow product to enter waterways. Do not allow material to contaminate ground water system. Ventilate area of release. Eliminate all ignition sources. Stop spill or leak at source if safely possible. Contain material, preventing it from entering sewer lines or waterways. Use inert, non-combustible absorbents to assist the pick up of material. Scrape up product and place it into a container for disposal. Residual of product, while still wet, can be cleaned up with warm soapy water. Refer to Section 13 for disposal of contaminated material. Notify the appropriate authorities as required. None known. 		

MSDS Preparation Date (dd/mm/yyyy): 25/06/2010

Safe Handling procedures	:	Wear suitable protective equipment during handling. Use with adequate ventilation. Training the workers on the potential health hazards associated with product vapor, dust or fume is important. Secondary inhalation exposures could occur when cleaning equipment, or when removing or laundering the clothing. Avoid breathing vapors, fumes or dust. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Keep away from oxidizing materials. Avoid and control operations which create high vapor or dust concentrations. Keep containers tightly closed when not in use. Wash thoroughly after handling.
Storage requirements	:	Store in a cool, dry, well-ventilated area. No smoking in the area. Do not store near any incompatible materials (see Section 10). Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Protect against physical damage.
Incompatible materials Special packaging materials	:	See Section 10. Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering measures

Γ

	Jse with adequate ventilation. Provide adequate cross air circulation. Use general or lo exhaust ventilation to maintain air concentrations below recommended exposure limits.	ocal
Respiratory protection	Not required under normal conditions of handling. If mists are formed, or in confined spaces, respiratory protection may be required. NIOSH-approved respirators are recommended.	
Skin protection	Where contact is likely, impervious gloves are recommended. Advice should be sought glove suppliers.	from
Eye / face protection	Safety glasses with side shields should be used with this product.	
Other protective equipment	Wear sufficient clothing to prevent skin contact. An eyewash station and safety shower should be made available in the immediate working area.	
General hygiene consideration		
	Avoid contact with eyes, skin and clothing. Avoid breathing vapors, fumes or dust. Do r eat, drink or smoke when using this product. Clean all equipment and clothing at end of each work shift.	
Permissible exposure levels	For individual ingredient exposure levels, see Section 2.	

SECTION 9 -	- PHYSICAL	AND CHI	EMICAL I	PROPERTIES

ت ت	DECTION 9 - FIFTSICAL A	IND CHEWICAL FROM		
Physical state	: paste	Appearance	: Tan colored paste with a mild odor.	
Odour	: Mild odour.	Odour threshold	: N/Av	
рН	: 9.0			
Boiling point	: > 100°C / 212°F	Specific gravity	: 1.4	
Melting/Freezing point	/Freezing point : N/Av Coefficient of water/oil distribution			
			: N/Av	
Vapour pressure (mmHg @	20° C / 68° F)	Solubility in water	: miscible	
	: same as water			
Vapour density (Air = 1)	: same as water	Evaporation rate (n-Butyl	acetate = 1)	
			: same as water	
Volatile organic Compound	: 0 g/L (calculated at 21°C	Volatiles (% by weight)	: 36 - 40 (30 min. @ 135°C / 275°F)	
	/ 70°F, SCAQMD)			
Particle size	: N/Av	General Info.	: Weight / Gallon: 11.7 lbs. (water = 8.3)	

SECTION 10 - REACTIVITY AND STABILITY DATA

Stability and reactivity	:	Stable under the recommended storage and handling conditions prescribed.			
Hazardous polymerization	:	Hazardous polymerisation does not occur.			
Conditions to avoid	:	Extreme heat.			
Materials To Avoid And Incompatibility					
	:	Oxidizing agents.			
Hazardous decomposition pr	odu	cts			

: None known, refer to hazardous combustion products in Section 5.

HENRY 440 Cove Base Adhesive

MSDS Preparation Date (dd/mm/yyyy): 25/06/2010

Toxicological data : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.				
	LC₅₀(4hr)	LD ₅₀		
Ingredients	inh, rat	oral	dermal	
None reported.	N/Av	N/Av	N/Av	
Carcinogenic status	: No components are listed as card	cinogens by ACGIH, IARC,	OSHA or NTP.	
Reproductive effects	: None known.			
Teratogenicity	: None known.			
Mutagenicity	: None known.			
Epidemiology	: Not available.			
Sensitization to material	: Not expected to be a skin or resp	piratory sensitizer.		
Synergistic materials	: N/Av			
Irriatancy	: Mild.			
other important hazards	: See Section 3 for additional infor	mation.		
	SECTION 12 - ECOLOGIC	AL INFORMATION		
Environmental effects	: The product should not be allowe can affect ground or surface wate			
Important environmental ch	aracteristics			
	: N/Av			
Ecotoxicological	: No data is available on the produ	ct itself.		
	SECTION 13 - DISPOSAL (CONSIDERATIONS		
Handling for Disposal	: Handle waste according to recom	nmendations in Section 7.		
Methods of Disposal	: Dispose in accordance with all ap Contact your local, state, provinc			
RCRA	: If this product, as supplied, becor a hazardous waste as defined un waste generator to determine the disposal of unused or waste mate agencies.	der RCRA, Title 40 CFR 20 proper waste identification	61. It is the responsibility of the n and disposal method. For	

		SECTION 14 - IRANSFORTATION			
Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	Not regulated.	not regulated	none	\oslash
TDG Additional information	None.				
49CFR/DOT	None	Not regulated.	not regulated	none	\oslash
49CFR/DOT Additional information	None.				

SECTION 15 - REGULATORY INFORMATION

Canadian Information:

SECTION 11 - TOXICOLOGICAL INFORMATION

MSDS Preparation Date (dd/mm/yyyy): 25/06/2010

Canadian WHMIS Classification: This product is not a WHMIS Controlled Product. It does not meet any of the criteria for a controlled product provided in Part IV of the Controlled Products Regulations (CPR). Refer to Section 1 for a WHMIS Classification for this product.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Canadian Environmental Protection Act (CEPA): All components of this product are on the Canadian DSL list.

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None reported.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This material is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above de minimus concentrations.

US State Right to Know Laws:

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

	SECTION 16 - OTHER INFORMATION
Legend	 ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation DSL: Domestic Substances List EPA: Environmental Protection Agency IARC: International Agency for Research on Cancer N/Av: not available N/Ap: not applicable NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act SARA: Superfund Amendments & Reauthorization Act STEL: Short Term Exposure Limit TLV: Threshold Limit Values TSCA: Toxic Substance Control Act TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Identification System
References	 1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2006. 2. International Agency for Research on Cancer Monographs, searched 2007. 3. Material Safety Data Sheet from manufacturer. 4. US EPA Title III List of Lists - January 27, 2005 version.

DISCLAIMER OF LIABILITY

The Information presented herein is supplied as a guide to those who handle or use this product and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive. The manner and conditions of use and handling may involve other and additional considerations. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

No warranty of any kind is given or implied. The W.W. Henry Company will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained herein. This Material Safety Data Sheet is valid for three (3) years.

Prepared By:

The W.W. Henry Company 400 Ardex Park Drive Aliquippa, PA, U.S.A. 15001

HENRY 440 Cove Base Adhesive

MSDS Preparation Date (dd/mm/yyyy): 25/06/2010

(724) 203-8499 Visit our Website: http://www.wwhenry.com

MSDS Preparation Date (dd/mm/yyyy)

: 25/06/2010

END OF DOCUMENT